P

	Application No.	Applicant(s)
Notice of Allowability	10/700,578	BROWN, RICHARD
	Examiner	Art Unit
	Khoa D. Huynh	3751
The MAILING DATE of this communication appe All claims being allowable, PROSECUTION ON THE MERITS IS herewith (or previously mailed), a Notice of Allowance (PTOL-85) NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RI	ars on the cover sheet with the co (OR REMAINS) CLOSED in this applied or other appropriate communication GHTS. This application is subject to and MPEP 1308.	plication. If not included will be mailed in due course. THIS
1. This communication is responsive to the interview on 07/19	<u>9/2005</u> .	
2. The allowed claim(s) is/are 12 and 14-21.		
3. The drawings filed on <u>05 November 2003</u> are accepted by the Examiner.		
 4. Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a) All b) Some* c) None of the: 1. Certified copies of the priority documents have been received. 2. Certified copies of the priority documents have been received in Application No. 3. Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)). * Certified copies not received: 		
Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application. THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.		
5. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.		
 6. CORRECTED DRAWINGS (as "replacement sheets") must be submitted. (a) including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached 1) hereto or 2) to Paper No./Mail Date (b) including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d). 7. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL. 		
 Attachment(s) 1. ☑ Notice of References Cited (PTO-892) 2. ☐ Notice of Draftperson's Patent Drawing Review (PTO-948) 3. ☑ Information Disclosure Statements (PTO-1449 or PTO/SB/0 Paper No./Mail Date 04/14/04 4. ☐ Examiner's Comment Regarding Requirement for Deposit of Biological Material 	6. ⊠ Interview Summary Paper No./Mail Dat 8), 7. ⊠ Examiner's Amendr	te <u>07192005</u> .

Art Unit: 3751

Election/Restrictions

Applicant's election of Group II and Species I in the reply filed on 05/05/2005 is acknowledged. Because applicant did not distinctly and specifically point out the supposed errors in the restriction requirement, the election/restriction has been treated as an election without traverse (MPEP § 818.03(a)). Claims 12-21 are readable on the elected invention. Claims 1-9 have been withdrawn from further consideration as being drawn to the non-elected invention.

EXAMINER'S AMENDMENT

1. An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with Mr. H. Roger Hart on 07/19/2005.

The application has been amended as follows:

In claim 12,

line 21: after "seaming compound" insert --, wherein a second layer of said selected seaming compound is applied over said perforations and around the perimeter of said mounting plate to bond said mounting plate integrally with said first and second layers of said seaming compound--.

Claim 13 has been cancelled.

Application/Control Number: 10/700,578

Art Unit: 3751

This application is in condition for allowance except for the presence of claims 1-9 directed to the non-elected invention without traverse. Accordingly, claims 1-9 have been cancelled.

Page 3

Claims 12 and 14-21 are allowed over the prior art of record.

3. The following is an examiner's statement of reasons for allowance: none of the cited prior art teaches a method of attaching a mounting device for securing a sink to a countertop having, in conjunction with other limitations, the steps of applying the first layer of seaming compound, pressing the mounting plate into the first layer of the seaming compound to force the seaming compound to flow through the perforations of the mounting plate to bond the mounting plate with the first layer and applying the second layer over said perforations and around the perimeter of said mounting plate to bond said mounting plate integrally with said first and second layers of said seaming compound as claimed.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Khoa D. Huynh whose telephone number is (571) 272-4888. The examiner can normally be reached on M-F (7:00-3:30).

Application/Control Number: 10/700,578 Page 4

Art Unit: 3751

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Justine Yu can be reached on (571) 272-4835. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Khoa D. Huynh Primary Examiner Art Unit 3751

HK 07/19/2005